

Nº 49019

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... APR 29 1985

Returned to applicant for correction..... MAY 09 1985

Corrected application filed.....

Map filed..... MAY 15 1985 under 49018

The applicant..... United States Air Force

554 Cess/Deser....., of Nellis Air Force Base.....,  
Street and No. or P.O. Box No. City or Town

Nevada 89191....., hereby make..... application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... an underground source  
Name of stream, lake, spring, underground or other source  
Well No. 2

2. The amount of water applied for is..... 0.03.....second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... industrial  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point..... SW¼ NW¼ Section 7, T.5N,  
Describe as being within a 40-acre subdivision of public  
R.51E, M.D.B. & M. Point of diversion being S.06°43'43"E 4422 feet from  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
the east ¼ corner of Section 1, T.5N, R.50E M.D.B. & M.

6. Place of use..... portions of NW¼ Section 7, T.5N, R.51E M.D.B. & M.  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about..... January 1st.....and end about..... December 31st....., of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... from well to above ground  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
storage tanks to underground pipe lines to dwellings and shops.  
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... completed, \$100,000 ±

10. Estimated time required to construct works.....same as item no. 8  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....1 year

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Well to be used as back up for well no. 1 to supply water to 9 dwellings with landscaping, 5 shop buildings and fire protection system. Above ground tanks are two, two thousand gallon steel tanks. Well was drilled about 1965, no data is available as to size or depth of well or size of pump. Amount of water to be used, 13.5 G.P.M., 24 hr./day, 7 days/week throughout the year.

By s/Brent R. Woolsey (agent)  
Box 1  
Mercury, Nevada 89023

Compared jm/jf js/bc

Protested

### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 49018 and 49019 shall not exceed 7.08 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.03 cubic feet per second, but not to exceed 7.08 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before September 4, 1986

Proof of completion of work shall be filed on or before October 4, 1986

Application of water to beneficial use shall be made on or before September 4, 1988

Proof of the application of water to beneficial use shall be filed on or before October 4, 1988

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed FEB 05 1986 IN TESTIMONY WHEREOF, I PETER G. MORROS

Proof of beneficial use filed 10-21-88 State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed my office, this 4th day of September

Certificate No. 12965 Issued AUG 19 1991 A.D. 1985

